

TYPE A Male Camlock x Female BSP

STAINLESS STEEL

Part Number	Product Size
653-A1012	1/2"
653-A1020	3/4"
653-A1025	1"
653-A1032	1¼"
653-A1038	1½"
653-A1050	2"
653-A1065	2½"
653-A1075	3"
653-A1100	4"
653-A1125	5"
653-A1150	6"



TYPE B Female Camlock x Male BSP

STAINLESS STEEL

Part Number	Product Size
653-B3012	1/2"
653-B3020	3/4"
653-B3025	1"
653-B3032	1¼"
653-B3038	1½"
653-B3050	2"
653-B3065	2½"
653-B3075	3"
653-B3100	4"
653-B3125	5"
653-B3150	6"



Pressure Rating: Based on ambient Temperature 20°C

1/2"	150psi
3/4" - 2"	250psi
2½"	225psi
3"	200psi
4" - 6"	100psi
8"	50psi

TYPE C Female Camlock x Hosetail

STAINLESS STEEL

Part Number	Product Size
653-C9012	1/2"
653-C9020	3/4"
653-C9025	1"
653-C9032	1¼"
653-C9038	1½"
653-C9050	2"
653-C9065	2½"
653-C9075	3"
653-C9100	4"
653-C9125	5"
653-C9150	6"



TYPE D Female Camlock x Female BSP

STAINLESS STEEL

Part Number	Product Size
653-D2012	1/2"
653-D2020	3/4"
653-D2025	1"
653-D2032	1¼"
653-D2038	1½"
653-D2050	2"
653-D2065	2½"
653-D2075	3"
653-D2100	4"
653-D2125	5"
653-D2150	6"



Pressure Rating: Based on ambient Temperature 20°C

1/2"	150psi
3/4" - 2"	250psi
2½"	225psi
3"	200psi
4" - 6"	100psi
8"	50psi

TYPE E Male Camlock x Hosetail

STAINLESS STEEL

Part Number	Product Size
653-E2012	1/2"
653-E2020	3/4"
653-E2025	1"
653-E2032	1¼"
653-E2038	1½"
653-E2050	2"
653-E2065	2½"
653-E2075	3"
653-E2100	4"
653-E2125	5"
653-E2150	6"



TYPE F Male Camlock x Male BSP

STAINLESS STEEL

Part Number	Product Size
653-F1012	1/2"
653-F1020	3/4"
653-F1025	1"
653-F1032	1¼"
653-F1038	1½"
653-F1050	2"
653-F1065	2½"
653-F1075	3"
653-F1100	4"
653-F1125	5"
653-F1150	6"



Pressure Rating: Based on ambient Temperature 20°C

1/2"	150psi
3/4" - 2"	250psi
2½"	225psi
3"	200psi
4" - 6"	100psi
8"	50psi

TYPE DC Dust Cap

STAINLESS STEEL

Part Number	Product Size
653-DC012	1/2"
653-DC020	3/4"
653-DC025	1"
653-DC032	1 1/4"
653-DC038	1 1/2"
653-DC050	2"
653-DC065	2 1/2"
653-DC075	3"
653-DC100	4"
653-DC125	5"
653-DC150	6"



TYPE DP Dust Plug

STAINLESS STEEL

Part Number	Product Size
653-DP012	1/2"
653-DP020	3/4"
653-DP025	1"
653-DP032	1 1/4"
653-DP038	1 1/2"
653-DP050	2"
653-DP065	2 1/2"
653-DP075	3"
653-DP100	4"
653-DP125	5"
653-DP150	6"



Pressure Rating: Based on ambient Temperature 20°C

1/2"	150psi
3/4" - 2"	250psi
2 1/2"	225psi
3"	200psi
4" - 6"	100psi
8"	50psi